

TABLE FOR SELECTING THE LENGTH AND NUMBER OF WRAPS FOR THE PIRO MULTITUBE PM TAPE FOR PVC PIPES WITHOUT INSULATION

PVC									
The outer diameter of the plastic pipe	Choose the type of Piro Multitube PM			FLOOR CLASS EI 120 (width from 150 mm density 1700 kg/m ³)		WALL CLASS EI 120 (width from 150 mm density 600 kg/m ³)		WALL CLASS EI 120 (width from 100 mm plasterboard)	
	Piro Multitube PM width selected from ETA	Piro Multitube PM thickness selected from ETA	Number of rows of the Piro Multitube PM	Number of Piro Multitube PM wraps in one row	Total length of Piro Multitube PM to be cut off	Number of Piro Multitube PM wraps in one row	Total length of Piro Multitube PM to be cut off	Number of Piro Multitube PM wraps in one row	Total length of Piro Multitube PM to be cut off
mm	mm	mm			mm		mm		mm
15	60	2,5	1	1	55	1	55	1	55
	60	4	1	1	60	1	60	1	60
	100	4,8	1	1	62	1	62	1	62
25	60	2,5	1	1	86	1	86	1	86
	60	4	1	1	91	1	91	1	91
	100	4,8	1	1	94	1	94	1	94
32	60	2,5	1	1	108	1	108	1	108
	60	4	1	1	113	1	113	1	113
	100	4,8	1	1	116	1	116	1	116
40	60	2,5	1	1	134	1	134	1	134
	60	4	1	1	138	1	138	1	138
	100	4,8	1	1	141	1	141	1	141
50	60	2,5	1	2	404	1	165	1	165
	60	4	1	1	170	1	170	1	170
	100	4,8	1	1	172	1	172	1	172
63	60	2,5	2	2	885	2	885	2	885
	60	4	1	2	471	2	471	2	471
	100	4,8	1	1	213	1	213	1	213
75	60	2,5	2	2	1036	2	1036	2	1036
	60	4	1	2	546	2	546	2	546
	100	4,8	1	1	251	1	251	1	251
83	60	2,5	2	2	1137	2	1137	2	1137
	60	4	1	2	597	2	597	2	597
	100	4,8	1	1	276	1	276	1	276
90	60	2,5	2	2	1225	2	1225	2	1225
	60	4	1	2	641	2	641	2	641
	100	4,8	1	1	298	1	298	1	298
110	60	2,5	2	2	1476	2	1476	2	1476
	60	4	1	2	766	2	766	2	766
	100	4,8	1	1	361	1	361	1	361
125	60	2,5	2	4	3454	3	2543		
	60	4	2	3	2656	2	1721		
	100	4,8	1	3	1358	2	875		
135	60	2,5	2	4	3705	3	2732		
	60	4	2	3	2845	2	1846		
	100	4,8	1	3	1453	2	938		
145	60	2,5	2	5	5024	4	3956		
	60	4	2	3	3033	3	3033		
	100	4,8	1	3	1547	3	1547		
150	60	2,5	2	5	5181	4	4082		
	60	4	2	3	3127	3	3127		
	100	4,8	1	3	1594	3	1594		
160	60	2,5	2	5	5495	5	5495		
	60	4	2	3	3316	3	3316		
	100	4,8	1	3	1688	3	1688		
185	60	2,5	2	6	7630	6	7630		
	60	4	2	4	5150	4	5150		
	100	4,8	1	4	2625	4	2625		
200	60	2,5	2	6	8195	6	8195		
	60	4	2	4	5526	4	5526		
	100	4,8	1	4	2813	4	2813		

TABLE FOR SELECTING THE LENGTH AND NUMBER OF WRAPS OF PIRO MULTITUBE PM FOR PP PIPES WITHOUT INSULATION

PE-HD/PE/ABS/SAN+PVC									
The outer diameter of the flammable pipe	Choose the type of Piro Multitube PM			FLOOR CLASS EI 120 (width from 150 mm density 1700 kg/m ³)		WALL CLASS EI 120 (width from 150 mm density 600 kg/m ³)		WALL CLASS EI 120 (width from 100 mm plasterboard)	
	Piro Multitube PM width selected from ETA	Piro Multitube PM thickness selected from ETA	Number of rows of the Piro Multitube PM	Number of Piro Multitube PM wraps in one row	Total length of Piro Multitube PM to be cut off	Number of Piro Multitube PM wraps in one row	Total length of Piro Multitube PM to be cut off	Number of Piro Multitube PM wraps in one row	Total length of Piro Multitube PM to be cut off
mm	mm	mm			mm		mm		mm
15	60	2,5	1	1	50	1	50	1	50
	60	4	1	1	60	1	60	1	60
	100	4,8	1	1	62	1	62	1	62
25	60	2,5	1	1	86	1	86	1	86
	60	4	1	1	91	1	91	1	91
	100	4,8	1	1	94	1	94	1	94
32	60	2,5	1	1	108	1	108	1	108
	60	4	1	1	113	1	113	1	113
	100	4,8	1	1	116	1	116	1	116
40	60	2,5	1	1	134	1	134	1	134
	60	4	1	1	138	1	138	1	138
	100	4,8	1	1	141	1	141	1	141
50	60	2,5	1	4	785	1	173	1	173
	60	4	1	2	389	1	182	1	182
	100	4,8	1	1	172	1	172	1	172
63	60	2,5	2	2	885	2	885	2	885
	60	4	1	2	471	2	471	2	471
	100	4,8	1	1	213	1	213	1	213
75	60	2,5	2	2	1036	2	1036	2	1036
	60	4	1	2	546	2	546	2	546
	100	4,8	1	1	251	1	251	1	251
83	60	2,5	2	2	1137	2	1137	2	1137
	60	4	1	2	597	2	597	2	597
	100	4,8	1	1	276	1	276	1	276
90	60	2,5	2	2	1225	2	1225	2	1225
	60	4	1	2	641	2	641	2	641
	100	4,8	1	1	298	1	298	1	298
110	60	2,5	2	2	1476	2	1476	2	1476
	60	4	1	2	766	2	766	2	766
	100	4,8	1	1	361	1	361	1	361
125	60	2,5	2	4	3454	4	3454		
	60	4	2	3	2656	3	2656		
	100	4,8	1	3	1358	3	1358		
135	60	2,5	2	4	3705	5	4710		
	60	4	2	3	2845	3	2845		
	100	4,8	1	3	1453	3	1453		
145	60	2,5	2	5	5024	5	5024		
	60	4	2	3	3033	3	3033		
	100	4,8	1	3	1547	3	1547		
150	60	2,5	2	5	5181	5	5181		
	60	4	2	3	3127	3	3127		
	100	4,8	1	3	1594	3	1594		
160	60	2,5	2	5	5495	6	6688		
	60	4	2	3	3316	4	4522		
	100	4,8	1	3	1688	4	2311		
185	60	2,5	2	6	7630	6	7630		
	60	4	2	4	5150	4	5150		
	100	4,8	1	4	2625	4	2625		
200	60	2,5	2	6	8195				
	60	4	2	4	5526				
	100	4,8	1	4	2813				

TABLE FOR SELECTING THE LENGTH AND NUMBER OF WRAPS OF PIRO MULTITUBE PM FOR PP PIPES WITHOUT INSULATION

PP									
	Choose the type of Piro Multitube PM			FLOOR CLASS EI 120 (width from 150 mm density 1700 kg/m ³)		WALL CLASS EI 120 (width from 150 mm density 600 kg/m ³)		WALL CLASS EI 120 (width from 100 mm plasterboard)	
The outer diameter of the flammable pipe	Piro Multitube PM width selected from ETA	Piro Multitube PM thickness selected from ETA	Number of rows of the Piro Multitube PM	Number of Piro Multitube PM wraps in one row	Total length of Piro Multitube PM to be cut off	Number of Piro Multitube PM wraps in one row	Total length of Piro Multitube PM to be cut off	Number of Piro Multitube PM wraps in one row	Total length of Piro Multitube PM to be cut off
mm	mm	mm			mm		mm		mm
15	60	2,5	1	1	50	1	50	1	50
	60	4	1	1	60	1	60	1	60
	100	4,8	1	1	62	1	62	1	62
25	60	2,5	1	1	86	1	86	1	86
	60	4	1	1	91	1	91	1	91
	100	4,8	1	1	94	1	94	1	94
32	60	2,5	1	1	108	1	108	1	108
	60	4	1	1	113	1	113	1	113
	100	4,8	1	1	116	1	116	1	116
40	60	2,5	1	1	134	1	134	1	134
	60	4	1	1	138	1	138	1	138
	100	4,8	1	1	141	1	141	1	141
50	60	2,5	1	2	361	1	165	1	165
	60	4	1	1	170	1	170	1	170
	100	4,8	1	1	172	1	172	1	172
63	60	2,5	2	2	885	2	885	2	885
	60	4	1	2	471	2	471	2	471
	100	4,8	1	1	213	1	213	1	213
75	60	2,5	2	2	1036	2	1036	2	1036
	60	4	1	2	546	2	546	2	546
	100	4,8	1	1	251	1	251	1	251
83	60	2,5	2	2	1137	2	1137	2	1137
	60	4	1	2	597	2	597	2	597
	100	4,8	1	1	276	1	276	1	276
90	60	2,5	2	2	1225	2	1225	2	1225
	60	4	1	2	641	2	641	2	641
	100	4,8	1	1	298	1	298	1	298
110	60	2,5	2	2	1476	2	1476	2	1476
	60	4	1	2	766	2	766	2	766
	100	4,8	1	1	361	1	361	1	361
125	60	2,5	2	4	3454	3	2543		
	60	4	2	3	2656	2	1721		
	100	4,8	1	3	1358	2	875		
135	60	2,5	2	5	4710	3	2732		
	60	4	2	3	2845	2	1846		
	100	4,8	1	3	1453	2	938		
145	60	2,5	2	5	5024	4	3956		
	60	4	2	3	3033	3	3033		
	100	4,8	1	3	1547	3	1547		
150	60	2,5	2	5	5181	4	4082		
	60	4	2	3	3127	3	3127		
	100	4,8	1	3	1594	3	1594		
160	60	2,5	2	5	5495	5	5495		
	60	4	2	3	3316	3	3316		
	100	4,8	1	3	1688	3	1688		
185	60	2,5	2	6	7630	6	7630		
	60	4	2	4	5150	4	5150		
	100	4,8	1	4	2625	4	2625		
200	60	2,5	2	6	8195	6	8195		
	60	4	2	4	5526	4	5526		
	100	4,8	1	4	2813	4	2813		